

# Olimpia S

Sunlounger

Technical file



FABRIC



STACKABLE



RECLINABLE



WHEELS



SPARE PARTS



CUSTOMIZABLE



RECYCLABLE

## Description

### Frame

Manufactured with a 2 mm thick 6063-20 aluminum alloy profile.

### Screws

Manufactured in AISI 304 stainless steel that offers great resistance to corrosion in marine environments.

### Paint

Powder paint based on polyester resins that offers great resistance to light and outdoor environments in accordance with QUALICOAT international specifications and ISO-2409 and ISO-2360 regulations.

### Fabric

Breathable fabric constructed with double weft and double warp, 1.25 mm thick and 870 g/m<sup>2</sup> density. Made of a continuous polyester thread core (30%) coated with PVC (70%).

Resistant to UV rays, with a light resistance index of 8.

Antimicrobial protection that protects against bad odors and moisture.

Fire resistance due to flammability retardant according to EN-1021-2:2015 regulations.

### Accessories

Caps, studs and regulators made of polypropylene resin resistant to UV rays. Wheels made of polyamide.

### Safety


Locking system designed to prevent hands and fingers from being caught.

Structure designed to prevent tipping or swaying.

# Olimpia S

## Sunlounger

### Capacity



A - 78,5 cm  
B - 96 cm

C - 192 cm  
D - 36 cm

11,6 kg

Package	Units	Measures	Weight	Volume
Box	2 u.	203,5x78,5x39 cm	30,6 kg	0,58 m <sup>3</sup>
Wheels	2 u.	13,5x10x13,4 cm	- kg	- m <sup>3</sup>

Loading capacity	Mega trailer	Cont. 20'	Cont. 40'	Cont. 40' High Cube
Olimpia S	226 u.	84 u.	180 u.	210 u.

### Finishes

#### Frame


Matte texture



White Aluminum Turtledove

#### Fabric

Basic





# Olimpia S

Sunlounger

---

## Maintenance plan

---

### Weekly

Visual check of the general condition, removing dirt and ensuring there are no broken parts or damage that could be a danger to users.

### Monthly

Check fabric tension.  
Check the structural strength and stability.  
Check the condition of wheels.

### Annual

Check the condition of the fabric and ensure it is correctly tensed.  
Check the backrest and adjuster are working correctly.  
Replace any worn or damaged parts.

### Wintering and storage

Clean with soapy water and a soft cloth.  
Remove damp stains, sand and seawater.  
Store horizontally in a dry place in stacks of 10 units.

### Observations

- Always use Balliu spare parts.
- Balliu does not manufacture parts for other brands.
- If the product is subject to heavy use, maintenance checks must be carried out more frequently.
- Do not use the product until maintenance is completed.
- Consult the maintenance instructions.
- Do not use aggressive chemicals to clean the product.
- Always use products with a neutral pH.
- Use a soft cloth to clean the product.

